

AMENDMENTS TO THE DRAWINGS

Applicant is submitting eleven replacement drawing sheets that include Figures 1-12.

Applicants has corrected the following typographical errors:

1. Figure 11. Step C1 now reads "create header" instead of "cleate header"
2. Figure 4. Element 80 now reads "receiving section" instead of "transmitting section."
3. Figure 8. Element 100 now reads "transmitting section" instead of "receiving section."
4. Figures 9 and 10. The label "VH" has been corrected to read "VPI."

Attachment: Eleven Replacement Sheet(s)

FIG. 1







FIG. 2






FIG.3






FIG. 4




FIG. 5




FIG. 6








FIG. 7






FIG. 8






FIG.9

transmission table 130

<i>channel No.</i>	<i>VC connected to transmission destination bridge</i>	
	<i>VPI</i>	<i>VCI</i>
<i>1</i>	<i>0</i>	<i>32</i>
<i>2</i>	<i>0</i>	<i>33</i>
<i>3</i>	<i>0</i>	<i>32</i>
<i>4</i>	<i>0</i>	<i>33</i>

FIG.10

reception table 140

<i>VC connected to transmission source bridge</i>		<i>offset transmission cycle</i>	
<i>VPI</i>	<i>VCI</i>	<i>second count</i>	<i>cycle count</i>
<i>0</i>	<i>32</i>	<i>+20</i>	<i>+500</i>
<i>0</i>	<i>33</i>	<i>+10</i>	<i>-200</i>

FIG. 11




FIG. 12

